
# 2019 PRODUCTION RIDER



www.queennation.com

**Dave Hewitt** 

Office: 818.879.1452

CELL: 818-388-7587

dmhemusic@yahoo.com

Mike McManus,

CELL: 818-370-3549

mclefty65@yahoo.com



Updated July 11, 2019

#### **HOSPITALITY:**

We require a sandwich-type lunch with drinks and coffee for our crew at time of load-in. Dinner buyout of \$35.00 per person or dinner for (5).

Dressing room catering as specified on attached sheet titled HOSPITALITY REQUIREMENTS.

#### DRESSING ROOM:

The Band must have a PRIVATE DRESSING ROOM to change in and be alone before and after the show with a private bathroom and one full-length mirror.

PRIVATE DRESSING ROOM must be lockable with key or code and to be given to the Tour Manager.

#### SOUND REQUIREMENTS

#### FRONT Of HOUSE:

- Profile or SC48 digital mixing console w/full factory Plug-In package (BF-76, BF-2A, BF-3A) and Waves Plug-In package or Yamaha CL Series digital mixing console.
- RTA with mic.
- Clear-com system FOH to Monitors & (1) talkback mic to stage.

#### PA SYSTEM:

- Please have **(3)** technicians available for setup, sound check and show (FOH Tech, System Tech, Monitor Tech per advance).
- Line-Array Speakers is greatly preferred (d&b Audiotechnik or J-Series, EV X-Line or XLC, L'Acoustics K2 or V-DOSC, Meyer LEO, JBL Vertec) with adequate coverage and subwoofers to provide 110db to all areas of the venue. 2
- Sub woofers on Aux, and ensure subs are sufficient to couple for low frequency extension and headroom.
- Front fills for vocal heavy aux mix required across down stage lip.
- Delay fills should be added and placed to provide adequate coverage to all seats where/if required.

#### **MONITOR SYSTEM:**

- \*\*PLEASE SETUP MONITOR WORLD DOWN STAGE RIGHT\*\*
- •Profile, SC48 or Yamaha CL Series digital mixing console (preference in that order).



Updated July 11, 2019

#### LIGHTING REQUIREMENTS

We do not travel with a Lighting Director, but we do have some general requests. At least (4) color washes (red, blue, open white and 1 other) with at least (6) lights in each wash on the back truss and both a cool and a warm wash covering the stage from the front.

When appropriate, i.e. festivals, theaters, arenas, a minimum of (2) follow spots with operators should be supplied.

The follow spots should be positioned high enough above the stage as to not blind the band. If fog is available, please use as a creative effect. LED lights, blinders, moving heads and accent lighting are welcomed and encouraged in addition to (not in place of) the static lighting.

#### **BACKDROP:**

Please have a Black backdrop Up Stage Center.

#### HOSPITALITY REQUIREMENTS

LOAD-IN: (please have drinks and perishable foods on ice or in fridge before scheduled load-in time)

- 5 Sandwiches or Subs on Multi Grain or Whole Wheat bread (turkey, chicken, roast beef, tuna, egg salad w/condiments on the side
- 20 Bottled Waters
- 6 Sparkling waters (Perrier, etc.)
- 1 Deli tray (small) for 5 people
- 1 Vegetable tray with Dip (small)
- 1 Stacy's Pita Chips (large)
- 1 Loaf of Multigrain Bread
- 8 Towels (small or medium)

Coffee/Tea with Milk, Sugar & Honey

#### **DINNER:**

Buyout preferred for (5) people x \$35.00 = \$175.00 or Full-Course Dinner

ACCOMODATIONS: FOUR (4) SEPARATE HOTEL ROOMS FOR BAND MEMBERS WHEN OUT OF TOWN



#### BACKLINE REV. 7/11/2019

**DRUMS:** (PETER BURKE - DRUMS / VOCALS)

First Choice Yamaha: Second Choice DW:

One (1) Grey or Black 8' X 8' Drum Rug

One (1) Rock & Sock Drum Throne

#### All Drums will have Clear Emperor heads:

#### KICK:

24" Kick DOUBLE HEADED BASS DRUM

<u>SNARE:</u> Drum Heads: All Drums will have Coated Ambassador heads with clear Amabassador heads on the bottoms of all toms.

14 X 6" 1/2 Ludwig black beauty snare with Tall Snare Stand

One (1) 6.5" X 14" SPARE SNARE DRUM **Wood Edge**: WITH CONCERT HEIGHT STAND

#### HI-HAT:

15" Zildjian Hi-Hats

#### **RACK TOMS:**

10", 12", 13 or 14" Rack Toms

#### **FLOOR TOMS:**

16" and 18" Floor Toms

#### **ROTO TOMS:**

12" and 14" Roto Toms on stand above floor toms

#### **CYMBAL PACKAGE:**

Two (2) 18", and one (1) 19" Crash Cymbals on Boom Stands

21" Zildjian Sweet Ride

19" or 20" China Cymbal

6" Paiste Cup Chime

Red LP Ridge Rider Cowbell mounted on the Crash Cymbal Stand above Roto

Toms One (1) Hi-Hat Stand

Two (2) Regular Snare Stands and One (1) Concert Stand at Keys

Ten (10) Boom Cymbal Stands Yamaha DW or Mapex



# **BACKLINE** REV. 7/11/2019

#### **DRUMS CONTINUED:**

Large Gong 34" with Tall Frame



### **CYMBAL SET UP:**

The smallest crash would be above the Hi-Hat.

Next crash between the 10 and 12" tom.

Ride is to right of 13" tom.

3rd crash is to right of the ride cymbal.

The china is next to the 18" Floor Tom.

I use in-ear monitors with a hard wire into my headphone amp located under my Hi-Hat. I require a DI for tracks there as well.

Please call or email me with any questions; Peter Burke, 818-415-6249, peteburke01@yahoo.com



## **BACKLINE REV. 7/11/2019**

BASS AMP: (PARKER COMBS - BASS)

One (1) AMPEG SVT BASS TOP W/ AC & Two (2) X 1/4 SPEAKER CABLES One (1) AMPEG SVT 8 X 10" SPEAKER ENCLOSURE

**GUITAR AMP: (MIKE McMANUS - GUITAR / VOCALS)** 

Two (2) VOX AC-30 Tube GUITAR AMP W/ AC & FOOTSWITCH (NO MARSHALLS)

Three (3) GUITAR STANDS

**KEYS: (GREGORY FINSLEY - VOCALS / PIANO)** 

One (1) YAMAHA P515B or ROLAND RD-800 DIGITAL 88 KEYBOARD W/ AC-VOLUME & SUSTAIN PEDALS

OR

One (1) CP 300 DIGITAL 88 KEYBOARD W/ AC-VOLUME & SUSTAIN PEDALS

One (1) QUIKLOK DOUBLE BRACED X STAND FOR KEYBOARD

One (1) QUIKLOK KEYBOARD BENCH OR ADJUSTABLE PIANO BENCH

All Patch Cables for Keys

One (1) LECTROSONICS HHa WIRELESS MICROPHONE WTHI CHROME MIC STAND


One (1) Backline Technician for show day


#### Contact:

Mike McManus 1-818-370-3549 mclefty65@yahoo.com



















Mike McManus CELL: 818-370-3549 mclefty65@yahoo.com

**Stage Plot & Input List** 

### **Input List**

- 1. Kick
- 2. Snare Top
- 3. Snare Bottom
- 4. Hi-Hat
- 5. Rack 1 10"
- 6. Rack 2 12"
- 7. Rack 4 14"
- 8. Floor 1 16"
- 9. Floor 2 18"
- 10. 12' Roto Tom
- 11. 14" Roto Tom
- 12. Ride
- 13. OH L
- 14. OH R
- 15. Gong
- 16. Tracks at Drums
- 17. DS Snare
- 18. Bass DI
- 19. GTR
- Acoustic DI
- 21. Piano L
- 22. Piano R
- 23. VOX Key SR
- 24. VOX BASS USR
- 25. VOX DSC
- 26. VOX GTR
- 27. VOX Drum
- 27. VOX DIGITI
- 28. Spare 58
- 29. Stage Talk Back

We will need 7 mixes REV. 7-11-19